

# Retail Food Inspection Report

Floyd County Health Department


Telephone (812) 948-4726

<b>Establishment Name</b> ARBY'S #6532	<b>Telephone Number</b> Est (812) 944-6625 Own 678-514-4100	<b>Date of Inspection</b> 07/21/2021	<b>ID#</b>
<b>Address</b> 2119 STATE ST, NEW ALBANY IN 47150			
<b>Owner</b> RTM OPERATING COMPANY, LLC	<b>Purpose</b> <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	<b>Follow Up</b> 08/03/2021	<b>Released</b> 07/31/2021
<b>Owner's Address</b> 3 GLENLAKE PARKWAY NE (5TH FLOOR) ATLANTA, GA 30328-		<b>Menu Type</b> 1 _ 2 _ 3 <u>X</u> 4 _ 5 _	
<b>Person in Charge</b> GERON BROWN			
<b>Responsible Person's Email</b> MJOCHUM@INSPIREBRANDS.COM			
<b>Certified Food Handler</b> BARBARA JACKSON			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
171	X			Observed 2 employees not using ice scoop for ice when preparing drinks.	RETRAIN STAFF
177	X			Observed water leaking from walkin cooler onto cardboard crate of tomatoes.	7/30/21
229	X			Observed soda nozzles on soda machine at the drive thru to be moldy.	TODAY
204		X		Observed scrub brushes to and bucket to clean the shake machine on top shelf in walk in cooler.	CORRECTED
218		X		Observed the reach in cooler reading a temperature of 52F.	7/30/21
232		X		Observed vents above fryers to be dripping grease.	7/30/21
324		X		Observed ice buildup on pipes on condensing unit in walk in freezer.	7/30/21
404		X		Observed coving tiles missing in the following areas: by the mop sink, by the back handwashing sink, and next to the single serve fry holders.	7/30/21
430		X		Observed light switch plate next to walk in cooler broken and missing lower half.	TODAY
431		X	X	Observed floor fan by front handwashing sink to be dusty.	TODAY
433		X	X	Observed mops left to dry in mop bucket.	TODAY

**Summary of Violations**      C    3      NC    8      R    2

Received by (name and title printed): GERON BROWN	Inspected by (name and title printed): Christa Manus EHS
Received by (signature):	Inspected by (signature): 
cc:	cc: